



The **BasSport Tournament** is an all-composite, **professional bass boat** available in **single** or **twin consoles**. Built identically from the same molds as the **BasSport Pro**, the **Tournament** can be “custom equipped” to achieve a lower cost without sacrificing any **Allison Quality!** With its patented, ultra-low-drag hull design, and powered with **50-75 less horsepower**, the **BasSport Tournament** can out-perform **any** big-name bass boat, **plus GO TWICE AS FAR on a gallon of FUEL.** Offering the **BEST Quality, Ride, Performance, Fishability,** and **DURABILITY,** at **HALF the FUEL COST.** All this makes the **BasSport Tournament** the **ONLY “big bass boat”** with the **HIGHEST QUALITY AND LOWEST TOTAL COST OF OWNERSHIP.**

**Specifications:**

- Length Overall:..... 21'- 2"
- Centerline: ..... 19'- 9"
- Beam: ..... 93"
- Weight: ..... 1325 – 1375 #
- Fuel tank: ..... 26 gal.
- Range: ..... 130 - 180 Miles  
(Range equivalent to 50+gal. in other boats)
- Live-well: ..... 35 gallons
- Rod Capacity: ..... 20+ Rods
- Storage: ..... 81 cu. Ft.
- Casting Decks: ..... 70 sq ft.
- Built-in cooler: ..... 30 quarts
- Recommended HP: ..... 150 – 200
- Maximum HP: ..... 225
- Hole-shot: ..... 2-3 Seconds
- Passengers: ..... 2



Single Console **BasSport Tournament** (Shown with OPTIONS)  
(Also available with Twin Consoles)

**STANDARD EQUIPMENT:**

- ▶ **All Composite** (rot proof) **Unibody Construction**
- ▶ **Exclusive Structural Aluminum / Composite Transom**
- ▶ **SeaStar** “high performance” Hydraulic Steering
- ▶ **Sport Steering Wheel** w/ signal-lever type Trim Switch
- ▶ **Allison** Automotive style gear shifter for **Mercury**
- ▶ **T-H Marine Hot-Foot** throttle for **Mercury**
- ▶ Pre-rigged with **Mercury** ignition and safety kill-switch
- ▶ **Console Dash Panel** (for up to 12” Electronics)
- ▶ **SmartCraft Pkg. 1:** (Engine Monitor, Link Tachometer, fuel)
- ▶ **Bow Panel** (for up to 12” Electronics)  
With trolling motor connection, tilt switch & 12 V receptacle
- ▶ **10” Electronics Pedestal (Single Stage) (E-Ped)** at bow **(18” optional)**
- ▶ Recessed Trolling Motor Foot Pedal Tray
- ▶ **Adjustable** driver deep bucket-seat (comfortable/secure)
- ▶ 2-position passenger Bucket Seat
- ▶ Bike seat with adjustable pedestal
- ▶ Trim color on console(s), rear fairing, and deck wings
- ▶ **Two-tone hull**
- ▶ **Built-in Docking lights** (Adjustable Headlights optional)
- ▶ Trolling Motor Battery Compartment (with sliding lid)
- ▶ Starting Battery Tray-Cover
- ▶ **Allison Standard** manual Jack-plate (Adjusts manually from inside boat)
- ▶ Patented “**skid-planer**” (Boat planes twice as quick)
- ▶ Divided, aerated live-well
- ▶ Live-well flush-out drain (empties in 60 seconds)
- ▶ Dual Fresh water, Recirculating, Aerator, w/ Pump-out
- ▶ Built-in 30qt. insulated cooler (fits 2-liter bottles)
- ▶ **Organized (20+ rod) storage system (+deck rod tray)**
- ▶ Triple tackle box (Drop-in)
- ▶ Quick-change windshield(s) (tall windshields optional)
- ▶ Convenient trash receptacle w/ emergency potty
- ▶ Built-in “quick draw” fire-extinguisher holder
- ▶ Horn
- ▶ **TANDEM AXLE CUSTOM 5” CHANNEL w/ 15” Alloy Wheels, Disc Brakes (1 axle), SS Fenders, spare carrier, & Swing Tongue** ◀

**BasSport**  
*Tournament*

• Custom 5" Channel Tandem Axle Trailer  
15" Alloy Wheels - Stainless Steel Fenders - Swing Tongue

*Single Console* \$66,000  
 *Twin Console* 67,000

COLORS AND TRIM OPTIONS	
<ul style="list-style-type: none"> <li>• Standard base color hull and deck • Trim color on the Console, Rear Fairing, &amp; deck wings • Hull Stripe (includes wings)</li> <li>• Floor color (Gray Leather or Graphite)</li> </ul>	
BASE COLORS	
1	Standard Base Colors: <input type="checkbox"/> White <input type="checkbox"/> Platinum
2	Optional Base Colors: <input type="checkbox"/> Gray Leather <input type="checkbox"/> Graphite
	<input type="checkbox"/> Hull <b>600</b> <input type="checkbox"/> Deck <b>400</b> <input type="checkbox"/> Hull & Deck <b>900</b>
3	Competition Base Colors: <input type="checkbox"/> Porsche Red <input type="checkbox"/> Flame Red <input type="checkbox"/> Lime
	<input type="checkbox"/> Rapid blue <input type="checkbox"/> Bahama Blue <input type="checkbox"/> Bright Yellow <input type="checkbox"/> Hemi Orange
	<input type="checkbox"/> Hull <b>800</b> <input type="checkbox"/> Deck <b>500</b> <input type="checkbox"/> Hull & Deck <b>1200</b>
4	Dark Base Colors: <input type="checkbox"/> Ruby Red <input type="checkbox"/> Deep Blue
	<input type="checkbox"/> Royal Blue <input type="checkbox"/> Charcoal <input type="checkbox"/> Black
	<input type="checkbox"/> Hull <b>1000</b> <input type="checkbox"/> Deck <b>600</b> <input type="checkbox"/> Hull & Deck <b>1500</b>
TRIM COLORS	
5	Standard Trim Colors: <input type="checkbox"/> Porsche Red <input type="checkbox"/> Flame Red <input type="checkbox"/> Ruby Red
	<input type="checkbox"/> Rapid Blue <input type="checkbox"/> Bahama Blue <input type="checkbox"/> Deep Blue <input type="checkbox"/> Royal Blue*
	<input type="checkbox"/> Bright Yellow <input type="checkbox"/> Hemi Orange <input type="checkbox"/> Lime <input type="checkbox"/> Purple <input type="checkbox"/> White
	<input type="checkbox"/> Platinum <input type="checkbox"/> Gray Leather <input type="checkbox"/> Graphite <input type="checkbox"/> Charcoal <input type="checkbox"/> Black
6	<input type="checkbox"/> CUSTOM MATCH COLORS: (when available) <b>Quote</b>
<p>▶ <b>Caution!</b> ◀ Dark colors create excessive heat build-up that will distort gelcoat surfaces. Avoid excessively dark color schemes. <b>NO WARRANTY on GEL-COAT</b></p> <p>▶ <b>SOLID BLACK (or solid dark color) hull or deck NOT AVAILABLE.</b> ◀</p>	
DECK COLOR OPTIONS	
7	<input type="checkbox"/> Deck Side-stripe <input type="checkbox"/> Wings same as trim color <b>400</b>
	with: <input type="checkbox"/> Wings base color <b>600</b>
	<input type="checkbox"/> Wings third (or fourth) color <b>800</b>
8	<input type="checkbox"/> Trim color on Bow panel fairing <b>300</b>
9	<input type="checkbox"/> Black (third color) on console(s) and rear fairing <b>500</b>
10	• Interior Color Option: <input type="checkbox"/> Gray Leather or <input type="checkbox"/> Graphite <b>1000</b>
	(Textured surfaces on deck) <input type="checkbox"/> Charcoal or <input type="checkbox"/> Black <b>1200</b>
11	Cockpit floor color: <input type="checkbox"/> Gray Leather <input type="checkbox"/> Graphite <b>STD</b>
	<input type="checkbox"/> Other (Specify) <b>200</b>
HULL COLOR OPTIONS	
12	Hull Side stripe <input type="checkbox"/> Wings same as trim color <b>STD</b>
	with: <input type="checkbox"/> Wings base color <b>200</b>
	<input type="checkbox"/> Wings third (or fourth) color <b>400</b>
13	<input type="checkbox"/> Wide hull-stripe (One color to bottom of hull sides) <b>400</b>
	(Must select wing color option (14) above)
14	<input type="checkbox"/> Double Stripes two colors upper & lower hull-stripes <b>800</b>
	(Must select wing color option (14) above)
OPTIONS	
15	Console Dash Color: <input type="checkbox"/> Graphite <input type="checkbox"/> Charcoal <input type="checkbox"/> Black
16	Carpet Color & Surge <input type="checkbox"/> Light Gray <input type="checkbox"/> Charcoal
	<input type="checkbox"/> Custom Color Carpet (Non-stock) (Specify) <b>300</b>
17	<input type="checkbox"/> Pin Stripes (decal) <b>STD</b>
	Specify:
18	Allison Logo Color: <input type="checkbox"/> Silver <input type="checkbox"/> Gold

SEATING	
<ul style="list-style-type: none"> <li>• Adjustable Driver Bucket Seat • Two position Passenger Bucket Seat • Bike Seat with Adjustable Pedestal</li> </ul>	
19	Base Vinyl: <input type="checkbox"/> Platinum <input type="checkbox"/> Gray Leather <input type="checkbox"/> Graphite <b>STD</b>
20	<input type="checkbox"/> Custom Seat Colors: (Non-stock) Specify: <b>200</b>
Base vinyl:	
Insert color:	
Third color in "A":	
Monogram colors:	
21	<input type="checkbox"/> Fold-down Seat (with mount & Pedestal Post ) <b>450</b>
22	<input type="checkbox"/> Extra Bike Seat & Adjustable Pedestal <b>350</b>
23	<input type="checkbox"/> Pneumatic bike seat Pedestal (exchange adj. pedestal) <b>100</b>
24	<input type="checkbox"/> 1" Seat Lift Spacers (Pair) (Mounts driver and passenger seats 1" higher) <b>80</b>
25	<input type="checkbox"/> 1 1/2" Seat Lift Spacers (Tilt steering recommended) <b>100</b>
26	<input type="checkbox"/> Two Position Front Deck Pedestal Mount <b>225</b>
RIGGING	
<ul style="list-style-type: none"> <li>• Pre-rigged for Mercury w/ ignition and safety kill switch</li> <li>• SmartCraft (Pkg. 1) (Round monitor, Tach, &amp; fuel)</li> <li>• Hot-Foot Throttle and Allison Gear Shifter.</li> <li>• Built-in Trolling Battery compartment with lid (fits two group 31 batteries)</li> <li>• Battery tray and cover for starting battery</li> </ul>	
27	Throttle & Shifter for: <input type="checkbox"/> Yamaha <input type="checkbox"/> Evinrude <input type="checkbox"/> Honda <b>100</b>
28	<input type="checkbox"/> Master Battery cut-off Switch <b>140</b>
29	<input type="checkbox"/> Tilt Steering <b>250</b>
30	<input type="checkbox"/> Deluxe Steering Wheel <b>250</b>
31	<input type="checkbox"/> Allison HD Manual Jack-plate (Exchange) <b>200</b>
32	<input type="checkbox"/> Allison HD Hydraulic Jack-plate (Exchange) <b>850</b>
33	<input type="checkbox"/> Allison 6" jack-plate spacer brackets (Exchange 4") <b>200</b>
34	<input type="checkbox"/> 35 Gallon Fuel Tank with built-in 3 gal. reserve with three-way fuel-valve <b>550</b>
▶ Heavy duty (HD) jack-plate is recommended for engines over 500 pounds.	
Pumps/ Livewell	
<ul style="list-style-type: none"> <li>• 1000 GPH Bilge Pump • Flush-out drain</li> <li>• Automatic Fresh- water/ recirculator, aerating system</li> <li>• Back-up livewell Recirculator w/ Pump-out</li> </ul>	
35	<input type="checkbox"/> Automatic Bilge Pump (second pump) with built-in Electronic switch <b>200</b>
36	<input type="checkbox"/> Twin Livewell Lids <b>300</b>
Tackle	
<ul style="list-style-type: none"> <li>• Triple Tackle Box (Drop-in) <b>STD</b></li> </ul>	
37	<input type="checkbox"/> Twin Rod Lockers (Port and Starboard) (up to 30-40 rods) with 4 Plano Tackle boxes (built-in) (Exchange triple-box) Includes 10-rod Quick-draw system <b>450</b>
38	<input type="checkbox"/> Triple Tackle Box (Drop-in) (Additional) <b>150</b>
39	<input type="checkbox"/> Triple Spinner-bait Box (Drop-in) <b>125</b>
40	<input type="checkbox"/> Accessory tray w/ Plano box <b>75</b>
41	<input type="checkbox"/> Tool/ tackle box (built onto battery compt. Lid) <b>40</b>
Lighting (Must be ordered before production begins)	
<ul style="list-style-type: none"> <li>• Docking Lights (Flush mounted into Hull) <b>STD</b></li> </ul>	
42	<input type="checkbox"/> Adjustable Headlights (Exchange) <b>550</b>
43	<input type="checkbox"/> LED Compartment Lights <b>600</b>

Smart-Craft INSTRUMENTATION			Windshields		
			Standard Short (Quick-Change) windshield(s)	STD	
44	<input type="checkbox"/> Package 1: Round Monitor Gauge, Link Tachometer, & fuel gauge	STD	53	<input type="checkbox"/> Tall Windshield (Exchange/ single console)	50
45	<input type="checkbox"/> Package 2: 2 Round Monitor Gauges and fuel gauge	175	54	<input type="checkbox"/> Tall Windshields (Exchange/ twin consoles)	100
46	<input type="checkbox"/> Package 3: Merc Monitor ECO,(no NMEA 2000) plus Link Tachometer and fuel gauge	230	55	<input type="checkbox"/> Spare Windshield (Short) each	250
47	<input type="checkbox"/> Package 4: Merc Monitor level 1 plus Link Tachometer and fuel gauge	325	56	<input type="checkbox"/> Spare Windshield (Short) pair	450
48	<input type="checkbox"/> Package 5: Merc Monitor level 2 plus Link Tachometer and fuel gauge	425	57	<input type="checkbox"/> Spare Windshield (Tall) each	300
49	<input type="checkbox"/> Package 6: Merc Monitor level 1 plus 2nd. Merc Monitor ECO and fuel gauge	725	58	<input type="checkbox"/> Spare Windshield (Tall) pair	550
50	<input type="checkbox"/> Package 7: Merc Monitor level 2 plus 2nd. Merc Monitor ECO and fuel gauge	825	<b>Accessories (Installed)</b>		
51	<input type="checkbox"/> Exchange link tach for <b>System Tach</b>	250	<b>10" E-Ped (Electronics Pedestal) STD</b>		
52	<input type="checkbox"/> Other Small SmartCraft link Gauge Specify:	100	59	<input type="checkbox"/> 18" E-Ped (Electronics Pedestal) (For up to 12" electronics) (Exchange) ♦	400
Merc Monitor levels 1 & 2 and system tach come with NMEA 2000 support, will display engine gauges on screen of Lowrance Live and Humminbird. Merc Monitor level 2 displays speed, distance, and gas mileage.			60	<input type="checkbox"/> <i>Deluxe</i> 22" Fish Measuring Rule	125
			61	<input type="checkbox"/> <i>Deluxe</i> Tool Holder/ Cup Holders (pair)	150
			62	Retractable Rod Buckle <input type="checkbox"/> Port side 125 <input type="checkbox"/> Starboard side ♦	125
			63	<input type="checkbox"/> 2nd Stern Light Receptacle (Port-side)	45
			64	<input type="checkbox"/> LED Deck Courtesy Lights at bow panel ♦	150
			65	<input type="checkbox"/> Stainless boarding/ swim Rails (mounted at stern to assist in boarding) ♦	300
			66	<input type="checkbox"/> Stealth Battery Charging System Charges all batteries on the run	700
			67	<input type="checkbox"/> KeelShield Keel Protector	300
			68	<input type="checkbox"/> Soft-Touch Custom Boat Cover (Gray)	1050
			69	<input type="checkbox"/> Soft-Touch Custom Boat Cover (Other Colors)	1250

## ELECTRONICS and TROLLING MOTORS

### LOWRANCE

ELECTRONICS UNIT		Console	Bow / 10" E-Ped	Bow / 18" E-Ped	Gunnel 3 <sup>rd</sup> Unit	
70	Elite 9 FS	<input type="checkbox"/> 1710	<input type="checkbox"/> 1560	<input type="checkbox"/> 1660	<input type="checkbox"/> 1850	Networking and transducers are OPTIONAL on gunnel mounted units.
71	Elite 9 FS w/ active image	<input type="checkbox"/> 2140				
72	9- Live		<input type="checkbox"/> 2720	<input type="checkbox"/> 2820	<input type="checkbox"/> 3030	
73	9- Live w/ active image	<input type="checkbox"/> 3070				
74	12-Live			<input type="checkbox"/> 4310	<input type="checkbox"/> 4500	
75	12- Live w/ active image	<input type="checkbox"/> 4680				
76	<input type="checkbox"/> 47" LOWRANCE GHOST 24/36V Trolling Motor (no NMEA)	3990		78	<input type="checkbox"/> Electronics networking (2-units)	140
77	<input type="checkbox"/> Point-One GPS antenna w/built-in compass (NEMA 2000 required)	410		79	<input type="checkbox"/> NMEA 2000 Network	240

### HUMMINBIRD

ELECTRONICS UNIT		Console	Bow / 10" E-Ped	Bow / 18" E-Ped	Gunnel 3 <sup>rd</sup> Unit	
80	Helix 10	<input type="checkbox"/> 1800			<input type="checkbox"/> 1840	Networking and Transducers are OPTIONAL on gunnel mounted units.
81	Helix 10 MSI	<input type="checkbox"/> 2840			<input type="checkbox"/> 2570 cho	
82	Helix 10 MDI Cho		<input type="checkbox"/> 1640	<input type="checkbox"/> 1740		
83	Helix 12	<input type="checkbox"/> 2610			<input type="checkbox"/> 2640	
84	Helix 12 MSI	<input type="checkbox"/> 3380			<input type="checkbox"/> 3110 cho	
85	Helix 12 MDI Cho		<input type="checkbox"/> 2450	<input type="checkbox"/> 2550		
86	Solix 10 MSI	<input type="checkbox"/> 3300			<input type="checkbox"/> 2880 cho	Other Electronics available on request.
87	Solix 10 MDI Cho		<input type="checkbox"/> 2610	<input type="checkbox"/> 2710		
88	Solix 12 MSI	<input type="checkbox"/> 3790			<input type="checkbox"/> 3410 cho	
89	Solix 12 MDI Cho		<input type="checkbox"/> 3100	<input type="checkbox"/> 3200		
90	<input type="checkbox"/> 45" MINNKOTA ULTREX 24V Trolling motor with I-pilot (no link)				3230	
91	<input type="checkbox"/> 45" MINNKOTA ULTREX 36V Trolling motor with I-pilot (no link)				3330	
92	<input type="checkbox"/> 45" MINNKOTA ULTRERA 24V Trolling motor with I-pilot (no link) (includes mounting kit)				4000	
93	<input type="checkbox"/> Mounting Kit for MinnKota Ulterra trolling motor and foot pedal (Included with Ulterra)				240	
94	Networking of MinnKota trolling motors to electronics (bow & console) (Includes 5-port switch, 2 cables, and labor)		<input type="checkbox"/> For 2 Helix units and trolling motor		480	
			<input type="checkbox"/> For 2 Solix units and trolling motor		430	

The installation of customer supplied electronics and trolling motors are not available.

Revised February 14, 2022		
Name of Dealership:	Date of order:	
Dealer Signature:	<input type="checkbox"/> <b>BasSport Tournament</b> Single Console	\$66,000
	<input type="checkbox"/> <b>BasSport Tournament</b> Twin Console	67,000
Customer Name:	<b>BOAT Options</b>	
	<b>Trolling motor/ options</b>	
	<b>Trailer Options</b>	
Customer Address:		
<b>TOTAL (Boat, Trailer, &amp; Options)</b>		

Place order by filling-in each check-box solid black, starting with boat model and each option selected.

<b>Allison CUSTOM BOAT TRAILERS and OPTIONS</b>				<b>XB-21 BasSport Tournament</b>					
<input type="checkbox"/> <b>CUSTOM CHANNEL Tandem Axle TRAILER</b>		<b>STD</b>	<input type="checkbox"/> <b>CUSTOM CHANNEL Single Axle TRAILER</b>		(Deduct 1000)				
<ul style="list-style-type: none"> <li>• <b>BLACK 5" Channel frame</b>   • Disc brakes on rear axle   • <b>15" Tiger Alloy Wheels w/ Radial Tires</b>   • Swing Tongue</li> <li>• Stainless Steel Fenders   • Spare tire Carrier   • LED Lighting   • Aluminum Tread on Bow and Side Steps</li> </ul>									
Options for Custom	95	<input type="checkbox"/> Custom Paint Color (black is standard)		300	97	<input type="checkbox"/> Spare tire step/cover		140	
Channel ONLY	96	<input type="checkbox"/> Black powder-coated steel-rim Spare		225	98	<input type="checkbox"/> Matching Spare wheel and tire		425	
<input type="checkbox"/> <b>DELUXE CHANNEL Tandem Axle TRAILER</b>				1200	<input type="checkbox"/> <b>DELUXE 5" TUBE Tandem Axle TRAILER</b>				1200
5" CHANNEL FRAME with <b>Black Elite Shield Coating</b> (channel only)					2 X 5" (3/16" Heavy-wall) TUBE FRAME (gloss black finish)				
<ul style="list-style-type: none"> <li>• <b>15" Tiger Alloy Wheels w/ Radial Tires</b>   • Swing Tongue   • Disc brakes on rear axle   • Easy load bunk system</li> <li>• Stainless Steel Fenders on Deluxe Steps   • Aluminum tread (channel) - Rubber tread (tube)   • LED Lighting   • Back-up Lights</li> <li>• Spare Tire Carrier   • Walk-board   • <b>Black Spare with step-cover OR Matching Spare</b> (cover not included)   • Wide-track Jack</li> </ul>									
<b>OPTIONS FOR ALL TRAILERS</b>									
99	<input type="checkbox"/> Special Color Bunk Carpet (black standard) Specify:			250	106	Choice of spare tire type (Standard on Deluxe Trailer ONLY)			
100	<input type="checkbox"/> Custom Paint Color (Deluxe Trailers only) Specify:			NC	<input type="checkbox"/> Matching 15" Spare <input type="checkbox"/> Black spare with step/ cover				
101	<input type="checkbox"/> Polyurethane Clear-coat (Required with White)			200	107	<input type="checkbox"/> Brakes on second axle			500
102	<b>Black Elite Shield</b>	<input type="checkbox"/> Deluxe Channel STD	<input type="checkbox"/> Tube	700	108	<input type="checkbox"/> <b>15" Sidewinder Alloy wheels</b> (exchange) (4)			125
103	<b>Elite Shield (Custom Colors)</b>	<input type="checkbox"/> Deluxe Channel 300	<input type="checkbox"/> Tube	1000	109	<input type="checkbox"/> <b>15" Viper Alloy wheels</b> (exchange) (4)			125
104	<input type="checkbox"/> Painted over Galvanize (Tube trailer only)			2250	110	<input type="checkbox"/> Aluminum Tread on Bow Step (Standard on channel)			60
105	<input type="checkbox"/> <b>STEP-Right-up</b> (Boarding step on trailer tongue)			450	111	<input type="checkbox"/> Aluminum Tread on side steps (Standard on channel)			175
<input type="checkbox"/> <b>SPORT DELUXE CHANNEL Tandem Axle TRAILER</b>				3000	<input type="checkbox"/> <b>SPORT DELUXE TUBE Tandem Axle TRAILER</b>				3000
Sport Deluxe trailer is a Deluxe trailer equipped with 18" alloy wheels with wide tires under wider stainless-steel fenders.									
Standard Black Spare with Step/ cover is STANDARD (Matching spare is not available due to size restraints and accessibility)									
112	<input type="checkbox"/> <b>Velocity 18" Alloy Wheels</b> STD	<input checked="" type="checkbox"/>	113	<input type="checkbox"/> <b>Revolution 18" Alloy Wheels</b>	175	<input checked="" type="checkbox"/>	114	<input type="checkbox"/> <b>Turbo 18" Alloy Wheels</b>	175
▶ 18" wheels are available only on Sport Deluxe (Tandem-axle) trailers ONLY. ◀									

◆ These items are standard on the **BasSport Pro** ◆      Items NEW for 2022      Prices subject to change.

*Special Instructions:*